

**NAME**

glutBitmapCharacter - renders a bitmap character using OpenGL.

**SYNTAX**

```
void glutBitmapCharacter(void *font, int character);
```

**ARGUMENTS**

*font*                 Bitmap font to use.  
*character*            Character to render (not confined to 8 bits).

**DESCRIPTION**

Without using any display lists, glutBitmapCharacter renders the character in the named bitmap font. The available fonts are:

**GLUT\_BITMAP\_8\_BY\_13**

A fixed width font with every character fitting in an 8 by 13 pixel rectangle. The exact bitmaps to be used is defined by the standard X glyph bitmaps for the X font named:

-misc-fixed-medium-r-normal--13-120-75-75-C-80-iso8859-1

**GLUT\_BITMAP\_9\_BY\_15**

A fixed width font with every character fitting in an 9 by 15 pixel rectangle. The exact bitmaps to be used is defined by the standard X glyph bitmaps for the X font named:

-misc-fixed-medium-r-normal--15-140-75-75-C-90-iso8859-1

**GLUT\_BITMAP\_TIMES\_ROMAN\_10**

A 10-point proportional spaced Times Roman font. The exact bitmaps to be used is defined by the standard X glyph bitmaps for the X font named:

-adobe-times-medium-r-normal--10-100-75-75-p-54-iso8859-1

**GLUT\_BITMAP\_TIMES\_ROMAN\_24**

A 24-point proportional spaced Times Roman font. The exact bitmaps to be used is defined by the standard X glyph bitmaps for the X font named:

-adobe-times-medium-r-normal--24-240-75-75-p-124-iso8859-1

**GLUT\_BITMAP\_HELVETICA\_10**

A 10-point proportional spaced Helvetica font. The exact bitmaps to be used is defined by the standard X glyph bitmaps for the X font named:

-adobe-helvetica-medium-r-normal--10-100-75-75-p-56-iso8859-1

**GLUT\_BITMAP\_HELVETICA\_12**

A 12-point proportional spaced Helvetica font. The exact bitmaps to be used is defined by the standard X glyph bitmaps for the X font named:

-adobe-helvetica-medium-r-normal--12-120-75-75-p-67-iso8859-1

**GLUT\_BITMAP\_HELVETICA\_18**

A 18-point proportional spaced Helvetica font. The exact bitmaps to be used is defined by the

standard X glyph bitmaps for the X font named:

-adobe-helvetica-medium-r-normal--18-180-75-75-p-98-iso8859-1

Rendering a nonexistent character has no effect. `glutBitmapCharacter` automatically sets the OpenGL unpack pixel storage modes it needs appropriately and saves and restores the previous modes before returning. The generated call to `glBitmap` will adjust the current raster position based on the width of the character.

#### EXAMPLE

Here is a routine that shows how to render a string of ASCII text with `glutBitmapCharacter`:

```
void
output(int x, int y, char *string)
{
    int len, i;

    glRasterPos2f(x, y);
    len = (int) strlen(string);
    for (i = 0; i < len; i++) {
        glutBitmapCharacter(GLUT_BITMAP_HELVETICA_18, string[i]);
    }
}
```

#### SEE ALSO

`glutBitmapWidth`, `glutStrokeCharacter`

#### AUTHOR

Mark J. Kilgard (mjk@sgi.com)