

**NAME**

glutInitWindowPositionWindowPosition, glutInitWindowSize - set the initial window position and size respectively.

**SYNTAX**

```
void glutInitWindowSize(int width, int height);
void glutInitWindowPosition(int x, int y);
```

**ARGUMENTS**

<i>width</i>	Width in pixels.
<i>height</i>	Height in pixels.
<i>x</i>	Window X location in pixels.
<i>y</i>	Window Y location in pixels.

**DESCRIPTION**

Windows created by glutCreateWindow will be requested to be created with the current initial window position and size.

The initial value of the initial window position GLUT state is -1 and -1. If either the X or Y component to the initial window position is negative, the actual window position is left to the window system to determine. The initial value of the initial window size GLUT state is 300 by 300. The initial window size components must be greater than zero.

The intent of the initial window position and size values is to provide a suggestion to the window system for a window's initial size and position. The window system is not obligated to use this information. Therefore, GLUT programs should not assume the window was created at the specified size or position. A GLUT program should use the window's reshape callback to determine the true size of the window.

**EXAMPLE**

If you would like your GLUT program to default to starting at a given screen location and at a given size, but you would also like to let the user override these defaults via a command line argument (such as -geometry for X11), call glutInitWindowSize and glutInitWindowPosition *before* your call to glutInit. For example:

```
int main(int argc, char **argv)
{
    glutInitWindowSize(500, 300);
    glutInitWindowPosition(100, 100);
    glutInit(&argc, argv);
    ...
}
```

However, if you'd like to force your program to start up at a given size, call glutInitWindowSize and glutInitWindowPosition *after* your call to glutInit. For example:

```
int main(int argc, char **argv)
{
    glutInit(&argc, argv);
    glutInitWindowSize(500, 300);
    glutInitWindowPosition(100, 100);
    ...
}
```

**SEE ALSO**

glutInit, glutCreateWindow, glutCreateSubWindow, glutReshapeFunc, glutGet

---

`glutInitWindowPosition(3GLUT)`

GLUT (3.5)

`glutInitWindowPosition(3GLUT)`

**AUTHOR**

Mark J. Kilgard (mjk@sgi.com)